
VKPI 900x500 L3 EC




Centrifugal inline fans with backward curved blades in sound-insulated casing with EC-motors

- Sound pressure level LpA at 3 m: 47
- Sound-insulated casing
- Impeller type: Centrifugal impeller with backward curved blades
- Casing material: Galvanized steel
- Installation in any position


	Unit of measurement	VKPI 900x500 L3 EC
Connected air duct size	mm	900x500
Phases	-	3
Minimum supply voltage	V	400
Maximum supply voltage	V	400
Power supply frequency	Hz	50/60
Rated power	W	3429
Unit current	A	5
Maximum airflow	m³/h	11190
Rotation speed at 50hz	-	1800
Sound pressure level LpA at 3 m	dB(A)	47
Weight	kg	120
Transported air temperature (max)	°C	50
Transported air temperature (min)	°C	-25
Ingress protection rating	-	IPX4
Ingress protection rating of the drive	-	IP54
Impeller material	-	Aluminium


1V
2V
3V
4V
5V
6V
7V
8V
9V
10V
Static pressure [Pa]
1,000
500
0
0
5,000
10,000
Airflow [m3/h]




Dimensions

B	B1	B3	H	H1	H3	L	F	K
900	920	1083	500	520	814	1052	1055	850



Accessories

For rectangular ducts

Name	Photo	Description
SR 900x500		Plate silencer for installation in rectangular ducts

For rectangular ducts

Name	Photo	Description
FB 900x500		Rectangular panel air filters
FBK 900x500-4		Rectangular bag air filters
FBK 900x500-5		Rectangular bag air filters
FBK 900x500-7		Rectangular bag air filters

For rectangular ducts

Name	Photo	Description
VVG 900x500		Flexible anti-vibration inserts for round air ducts

Water heaters

Name	Photo	Description
NKV 900x500-2		Inline water supply air heaters or heater for air handling units with a rectangular cross-section
NKV 900x500-3		Inline water supply air heaters or heater for air handling units with a rectangular cross-section

Electrical heaters

Name	Photo	Description
NK 900x500-45,0-3		Rectangular electric inline heaters

NK 900x500-54,0-3		Rectangular electric inline heaters

Airflow regulators

Name	Photo	Description
RRV 900x500		Air flow controllers

Water coolers

Name	Photo	Description
OKW 900x500-3		Rectangular inline water coolers

Freon coolers

Name	Photo	Description
OKF 900x500-3		Rectangular inline direct evaporative coolers

Ecodesign

Trademark	Vents
Model	VKPI 900x500 L3 EC
Type of drive installed	Integrated VSD
Type of heat recovery system	None
Nominal external pressure (Pa)	362
Maximum external leakage rates (%)	2.7
Static efficiency (%)	62.3
Effective electric power input (kW)	0.974
Sound power level (dB(A))	67
Declared typology	NRVU UVU