Series Casto



Quiet axial extract fans

- Impeller type: Mixed-flow
- Casing material: Plastic
- Humidity sensor

Lineup	Rated power, W	Maximum airflow, m^3/h	Sound pressure level LpA at 3 m, dB(A)	Pull cord	Humidity sensor	Timer	Number of speeds
Casto 100 L	8	90	29	✗	✗	✗	1
Casto 100 T L	8	90	29	✗	✗	Turn off timer	1
Casto 100 T1 L	8	90	29	✗	✗	Turn off timer, Turn on timer	1
Casto 100 TH L	8	90	29	✗	✓	Turn off timer	1
Casto 100 V L	8	90	29	✓	✗	✗	1
Casto 100 VT L	8	90	29	✓	✗	Turn off timer	1

 Casto 100 VTH L	8	90	29	✓	✓	Turn off timer	1
 Casto 100 L (220 V/60 Hz)				✗	✗	✗	1
 Casto 100 T L (220 V/60 Hz)				✗	✗	Turn off timer	1
 Casto 100 T1 L (220 V/60 Hz)				✗	✗	Turn off timer, Turn on timer	1
 Casto 100 TH L (220 V/60 Hz)				✗	✓	Turn off timer	1
 Casto 100 V L (220 V/60 Hz)				✓	✗	✗	1
 Casto 100 VT L (220 V/60 Hz)				✓	✗	Turn off timer	1
 Casto 100 VTH L (220 V/60 Hz)				✓	✓	Turn off timer	1
 Casto 100-12 L	8	85	28	✗	✗	✗	1
 Casto 100-12 T L	8	85	28	✗	✗	Turn off timer	1
 Casto 100-12 T1 L	8	85	28	✗	✗	Turn off timer, Turn on timer	1
 Casto 100-12 TH L	8	85	28	✗	✓	Turn off timer	1
 Casto 100-12 V L	8	85	28	✓	✗	✗	1
 Casto 100-12 VT L	8	85	28	✓	✗	Turn off timer	1

 Casto 100-12 VTH L	8	85	28	✔	✔	Turn off timer	1
 Casto 150 L	28	255	35	✘	✘	✘	1
 Casto 150 T L	28	255	35	✘	✘	Turn off timer	1
 Casto 150 T1 L	28	255	35	✘	✘	Turn on timer, Turn off timer	1
 Casto 150 TH L	28	255	35	✘	✔	Turn off timer	1
 Casto 150 V L	28	255	35	✔	✘	✘	1
 Casto 150 VT L	28	255	35	✔	✘	Turn off timer	1
 Casto 150 VTH L	28	255	35	✔	✔	Turn off timer	1