
Series **Stone**



Flush-mounted axial fans for extract ventilation

- Impeller type: Axial
- Casing material: Metal
- Humidity sensor

Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m³/h	Sound pressure level LpA at 3 m, dB(A)	Humidity sensor	Timer	Number of speeds
100 Stone	100	14	90	33	✕	✕	1
100 Stone Grey	100	14	90	33	✕	✕	1
100 Stone Beige	100	14	90	33	✕	✕	1
100 Stone K	100	14	90	33	✕	✕	1
100 Stone L	100	14	90	33	✕	✕	1
100 Stone T	100	14	90	33	✕	Turn off timer	1

 100 Stone TH	100	14	90	33	✔	Turn off timer	1
 100 Stone turbo	100	16	113	37	✖	✖	1
 100 Stone K turbo	100	16	113	37	✖	✖	1
 100 Stone L turbo	100	16	113	37	✖	✖	1
 100 Stone T turbo	100	16	113	37	✖	Turn off timer	1
 100 Stone TH turbo	100	16	113	37	✔	Turn off timer	1
 100 Stone TH K turbo	100	16	113	37	✔	Turn off timer	1
 125 Stone	125	16	172	35	✖	✖	1
 125 Stone K	125	16	172	35	✖	✖	1
 125 Stone L	125	16	172	35	✖	✖	1
 125 Stone T	125	16	172	35	✖	Turn off timer	1
 125 Stone TH	125	16	172	35	✔	Turn off timer	1
 125 Stone turbo	125	17	215	37	✖	✖	1
 125 Stone L turbo	125	17	215	37	✖	✖	1

 125 Stone K turbo	125	17	215	37	✗	✗	1
 125 Stone T turbo	125	17	215	37	✗	Turn off timer	1
 125 Stone TH turbo	125	17	215	37	✓	Turn off timer	1